## **Prescriptive Rebate Program**

Rebates listed below apply to installations completed between January 1, 2023, and December 31, 2023. If a product is not listed below, it may still be eligible for a custom rebate. Full program requirements are listed on the rebate applications that will be available at **PeoplesGasDelivery.com/Savings** and **NorthShoreGasDelivery.com/Savings** effective January 1, 2023.

Project Number	Product/Efficiency Requirement	Prescriptive Rebate	Small and Midsize Business/Multi-Family Partner Rebate***	Unit
Steam Trap R	epairs, Replacements and Testing			
1	Steam Trap Testing	\$10 MF/\$20 Bus.	\$15 MF/\$20 SMB	Steam Trap Tested
2	Industrial/Process and Year-Round Space Heating Steam Trap Repair/ Replacement	\$300	\$325	Steam Trap
3	Dry Cleaner/Laundromat Steam Trap Repair/Replacement	\$150	\$175	Steam Trap
4	Space Heating Steam Trap Repair/Replacement	\$100	\$150	Steam Trap
5	Untested Steam Trap Repair/Replacement	\$30	\$50	Steam Trap
6	Steam Trap Monitoring System – Space Heating Trap	\$50	\$55	Steam Trap
7	Steam Trap Monitoring System – Dry Cleaning and Laundromat	\$100	\$125	Steam Trap
8	Steam Trap Monitoring System – Process Trap	\$150	\$175	Steam Trap
Pipe Insulatio	on for Steam Heating Boiler Systems			
9	Steam — Small Pipe Diameter (1 to 2 inches)	\$2.50	\$5	Linear Foot
10	Steam — Medium Pipe Diameter (2.1 to 5 inches)	\$4	\$7.50	Linear Foot
11	Steam — Large Pipe Diameter (5.1 to 8 inches)	\$5.50	\$10	Linear Foot
12	Steam – X-Large Pipe Diameter (> 8 inches)	\$10	\$18	Linear Foot
13	Medium Pipe Steam Fittings – Pipe Diameter (2.1 to 5 inches)	\$5	\$10	Fitting
14	Large Pipe Steam Fittings – Pipe Diameter (5.1 to 8 inches)	\$7	\$18	Fitting
15	X-Large Pipe Steam Fittings – Pipe Diameter (> 8 inches)	\$14	\$30	Fitting
16	Medium Pipe Steam Valves – Pipe Diameter (2.1 to 5 inches)	\$13	\$20	Valve
17	Large Pipe Steam Valves – Pipe Diameter (5.1 to 8 inches)	\$20	\$30	Valve
18	X-Large Pipe Steam Valves – Pipe Diameter (> 8 inches)	\$28	\$40	Valve
Pipe Insulatio	n for Hydronic and Domestic Boiler Systems			
. 19	Hydronic Water – Small Pipe Diameter (1 to 2 inches)	\$1	\$3.25	Linear Foot
20	Hydronic Water – Medium Pipe Diameter (2.1 to 4 inches)	\$1.25	\$4.50	Linear Foot
21	Hydronic Water – Large Pipe Diameter (> 4 inches)	\$1.50	\$5.50	Linear Foot
22	Domestic Hot Water – Small Pipe Diameter (< 1.25 inches)	\$1	\$3.25	Linear Foot
23	Domestic Hot Water — Medium Pipe Diameter (1.26 to 2 inches)	\$1.25	\$4.50	Linear Foot
24	Domestic Hot Water – Large Pipe Diameter (> 2 inches)	\$1.50	\$5.50	Linear Foot
	on for Hydronic and Domestic Boiler Systems	1		
25	Domestic Hot Water Storage Tank Insulation	\$4.50	\$6.50	Square Foot
26	Condensate Tank Insulation	\$8	\$9	Square Foot
	Insulation for Dry Cleaning Facilities	ψu	ţ	oquaroroot
27	Small Pipe Diameter (.5 to 2 inches)	\$3	\$4	Linear Foot
	team Trap Jackets for Dry Cleaning Facilities	φ0	ψ i	Enfournoor
28	Steam Trap Jacket Insulation	\$8	\$9	Steam Trap
	r Controls, Tune-Ups, Chemical Descaling and Stack Economizers	ψū	<b>\$</b>	otouni nup
29	Space Heating Hot Water Boiler; $\geq$ 300 MBH Input and $\leq$ 2,500 MBH and Rated Thermal Efficiency of 88% or greater	\$1.25	\$1.50	MBH* Input
30	Space Heating Hot Water Boiler; > 2,500 MBH Input and Rated Fuel-to-Water Efficiency of 88% or greater	\$1.25	\$1.50	MBH* Input
31	Space Heating Hot Water Boiler; < 300 MBH Input and Rated Thermal Efficiency of 88% or greater	\$1.25	\$1.50	MBH* Input
32	Space Heating Steam Boiler; > 300 MBH and < 1,500 MBH Input, and Rated Thermal Efficiency of 81% or greater	\$1	\$1.25	MBH* Input
33	Space Heating Steam Boiler; ≥ 1,500 MBH Input and Rated Thermal Efficiency of 82% or greater	\$1	\$1.25	MBH* Input
34	Central Steam Dual-Pipe Steam Boiler Averaging Controls**	\$50	\$50	Living Unit
35	Central Steam Single-Pipe Steam Boiler Averaging Controls**	\$50	\$50	Living Unit
36	Thermostatic Radiator Valve (TRV)**	\$20	\$25	Radiator Valve
37	Space Heating Hot Water Boiler Cutout and Reset Controls	\$0.50	\$1	MBH* Input

## Prescriptive Rebate Program

Project Number	Product/Efficiency Requirement	Prescriptive Rebate	Small and Midsize Business/Multi-Family Partner Rebate***	Unit
38	Space Heating Boiler Tune-Up	\$0.30	\$0.40	MBH* Input
39	Process Heating Boiler Tune-Up	\$0.50	\$0.60	MBH* Input
40	Business Furnace and Rooftop Unit Tune-Up	\$0.30	\$0.40	MBH* Input
41	Boiler Chemical Descaling Low Pressure (below 15 psig)	\$0.30	\$0.40	MBH* Input
42	Boiler Chemical Descaling High Pressure (above 15 psig)	\$0.50	\$0.60	MBH* Input
43	Conventional Space Heating Stack Economizer	\$0.40	\$0.50	MBH* Input
44	Condensing Space Heating Stack Economizer	\$0.60	\$0.70	MBH* Input
45	Conventional Economizer (Process)	\$1.00	\$1.25	MBH* Input
46	Condensing Economizer (Process)	\$1.50	\$1.75	MBH* Input
	ols for Space Heating			
47	Linkageless Controls	\$0.40	\$0.50	MBH* Input
Shut Off Flue	Damper for Space Heating			
48	Shut Off Flue Damper	\$0.15	\$0.20	MBH* Input
Thermostats	1	1		
49	Smart Thermostat	\$50	\$100	Thermostat
50	Programmable Thermostat	\$50	\$50	Thermostat
51	In-Unit Multi-Family Smart Thermostat**	\$50	\$75	Thermostat
52	Wireless Pneumatic Thermostat (WPT) Small Building 0-10,000SF	\$0.10	\$0.13	Square Foot
53	Wireless Pneumatic Thermostat (WPT) Medium Building 10,001-300,000 SF	\$0.08	\$0.10	Square Foot
54	Wireless Pneumatic Thermostat (WPT) Large Building 300,001+ SF	\$0.07	\$0.09	Square Foot
	trolled Ventilation			
55	Space Heating	\$0.05	\$0.06	Square Foot
Space Heatin	g and Specialty Equipment			
56	Furnace — Common Area and Business: 95% AFUE or greater	\$200	\$375	Furnace
57	Furnace — In Unit: 95% AFUE or greater	\$200	\$275	Furnace
58	Condensing Unit Heaters	\$2	\$3	MBH* Input
59	Infrared Heater	\$2.50	\$3	MBH* Input
60	Direct-Fired Heaters	\$1	\$2	MBH* Input
61	Space Heating Energy Recovery Unit	\$0.75	\$1.25	CFM Input
Nater-Saving				
62	Pre-Rinse Sprayers — Must have a flow rate of $\leq$ 1.24 GPM	\$28	\$75	Sprayer
63	Hotel Low Flow Faucet Aerators or Restrictors — Must have flow rate of $\leq$ 1.5 GPM	\$1.50	\$2	Restrictor
64	Hotel Low Flow Showerheads or Restrictors — Must have a flow rate of $\leq$ 2.0 GPM	\$12	\$14	Restrictor
65	Laminar Flow Restrictors – 2.2 GPM — Must replace flow rate of $\leq$ 2.75 GPM in Healthcare Facilities	\$20	\$22	Restrictor
66	Laminar Flow Restrictors - 1.5 GPM — Must replace flow rate of $\leq$ 2.2 GPM in Healthcare Facilities	\$25	\$27	Restrictor
67	Laminar Flow Restrictors - 1.0 GPM — Must replace flow rate of $\leq$ 2.2 GPM in Healthcare Facilities	\$30	\$32	Restrictor
68	Laminar Flow Restrictors – 0.5 GPM — Must replace flow rate of $\leq$ 2.2 GPM in Healthcare Facilities	\$35	\$37	Restrictor
vatural Gas V	Vater Heaters	1		
69	Natural Gas Water Heater; < 75 MBH Input and ≥ 0.67 Energy Factor; 30-gallon minimum capacity	\$150	\$175	Water Heater
70	Natural Gas Water Heater; ≥ 75 MBH Input and < 400 MBH Input and ≥ 88% Thermal Efficiency	\$1	\$2.25	MBH* Input
71	Central Domestic Gas Water Heater (for Lodging Facilities)**	\$2.50	\$3	MBH* Input
72	Central Water Heater or Indirect Water Heater for Multi-Family Building**	\$8	\$10	Living Unit
73	Laundromat Water Heater: 88% to 94.9% Thermal Efficiency	\$1	\$1.50	MBH* Input
74	Laundromat Water Heater: ≥ 95% Thermal Efficiency	\$1.50	\$2	MBH* Input
75	Tankless Water Heater: >90% Thermal Efficiency	\$1	\$1.25	MBH* Input
	Circulating Hot Water Pump	1 .	· · ·	
76	Multi-Family On-Demand Circulating Hot Water Pump	\$35	\$55	Living Unit
77	Dorm Room On-Demand Circulating Hot Water Pump	\$18	\$25	Living Unit
78	Hotel/Motel On-Demand Circulating Hot Water Pump	\$7	\$10	Guest Room



## **Prescriptive Rebate Program**

Project Number	Product/Efficiency Requirement	Prescriptive Rebate	Small and Midsize Business/Multi-Family Partner Rebate***	Unit
Ozone Laund				
79	Ozone Laundry — Hotels/Motels, Fitness centers, and Healthcare (Excluding Hospitals)	\$25	\$35	Lbs. Capacity
80	Ozone Laundry – Laundromats	\$10	\$15	Lbs. Capacity
Modulating C	ommercial Gas Clothes Dryer Retrofit			
81	Dryer — Coin-Operated Laundromat and Multi-Family Dryers	\$150	\$200	Per Dryer
82	Dryer – Hotel and Hospital	\$300	\$400	Per Dryer
High-Speed C	Commercial Washers			<b>z</b>
83	High-Speed Washer — Hotel/Motel/Hospital	\$4	\$9	Lbs. Capacity
84	High-Speed Washer – Laundromat	\$2.50	\$3	Lbs. Capacity
85	High-Speed Washer — Multi-Family	\$2	\$3	Lbs. Capacity
Dock Door Se		- I	·	
86	Dock Door Seals	\$200	\$250	Door Seal
Foodservice				
87	Demand-Controlled Ventilation – Commercial Kitchen Exhaust Hoods	\$650	\$700	Exhaust Fan HF
88	Kitchen Exhaust Heat Recovery Grease Trap Filter	\$410	\$450	Filter
89	Convection Oven	\$200	\$300	Cavity
90	Double Rack Oven	\$1,000	\$1,500	Double Oven
91	Fryer	\$400	\$600	Fry Vat
92	Large Conveyor Oven	\$500	\$700	Oven
93	Salamander Broiler	\$200	\$300	Broiler
	ture Commercial Dishwashers	+	+	
94	Under Counter	\$90	\$100	Unit
95	Stationary Single-Tank Door	\$350	\$525	Unit
96	Single-Tank Conveyor	\$350	\$525	Unit
97	Multi-Tank Conveyor	\$400	\$600	Unit
	ature Commercial Dishwashers	<b> </b>	<b>\$666</b>	onic
98	Under Counter	\$45	\$75	Unit
99	Stationary Single-Tank Door	\$350	\$525	Unit
100	Multi-Tank Conveyor	\$400	\$600	Unit
Steamers		<b> </b>	<b>\$666</b>	onic
101	Steamer 3-Pan	\$600	\$900	Unit
102	Steamer 4-Pan	\$800	\$1,200	Unit
102	Steamer 5-Pan	\$1,000	\$1,500	Unit
103	Steamer 6-Pan or larger	\$1,000	\$1,800	Unit
Combination		φη200	ψισοσ	Onit
105	Combination Oven – < 15 Pans	\$150	\$200	Oven
105	Combination Oven – 15-30 Pans	\$350	\$200	Oven
100	Combination Oven – > 30 Pans	\$550	\$400	Oven

\*1 MBH = 1,000 Btu/hour = 1kBtu/h \*

\*\*Only available for the Multi-Family Program

\*\*\*Must meet program requirements to receive Partner Rebates

Visit PeoplesGasDelivery.com/Savings or NorthShoreGasDelivery.com/Savings for the most current information. Questions? Call 855-849-8928.

NOTE: Prescriptive rebates are subject to a cap of 50 percent of the project cost. Partner rebates are subject to a cap of 100 percent of the project cost. Rebate amounts are subject to change or terminate without notice at the discretion of Peoples Gas and North Shore Gas.